
Year 5 maths





Welcome to this guide to Maths in Year 5. In this booklet you will find knowledge organisers for every Maths topic covered in Year 5 and then some extracts from our calculation policy showing the methods taught. The knowledge organisers include the key vocabulary the children will come across in each topic as well as the key objectives taught and models and images used.

We hope you find these useful and that they will help show you what is being taught in school this year.

Year 5 Team

Place Value

Number and Place Value Knowledge Organiser													
Key Vocabulary		Compare and Order											
millions	eq	μαls				greater	th	than less than					
thousands	26 + 3	8 = 8	× 8			23 873 >	. 8	256		90	1 198 <	1 091	098
hundreds	Both calci	ulations	s have		The	number on t	_		,				ght has 1
tens		alue 64		ter		sands and t		-			lion and		-
ones					righ	nt has 0 ten	th.	nousands.		t	ne left ho	ıs 0 mil	ions.
zero							1 [
place value	smallest	8	398	6735		6835		7019		9002	11 2	235	greatest
greater than						Manakin		Ni la o .					
less than		Negative Numbers											
order	-25-24-23-22-:	-25-24-23-22-21-20-19-18-17-16-15-14-13-12-11-10-9 -8 -7 -6 -5 -4 -3 -2 -1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25											
round													
rounded					Co	unting in	ιF	Powers	of 10				
negative number	Counting	in 10s						Counting)s			
partition	365	375	385	395	405	415		2841	2941	3041	3141	3241	3341
digit	The tens i												
interval	hundred o			ens becom	es one	more				crease unt and 0 hun		reas be	omes one
sequence	Counting in 10 000s Counting in 100 000s												
linear sequence				206 10		204 100		2 972 1		072 151	2 172 1	151 4	3 27 2 151
twinkl visit twinkl.com	The ten th	276 109 286 109 296 109 306 109 The ten thousands increase until 9 ten thousands become one more hundred thousand and 0 ten thousands.			2 972 151 3 072 151 3 172 151 3 272 151 The hundred thousands increase until 9 hundred thousands becomes one more million and 0 hundred thousands.								

Number and Place Value


Knowledge Organiser

Numbers to One Million

926 471

Hundred Thousands	Ten Thousands	Thousands	Hundreds	Tens	Ones
9	2	6	4	7	1

nine hundred and twenty-six thousand, four hundred and seventy-one





Roman Numerals

	I = 1	II = 2	III = 3	
IV = 4	V = 5	VI = 6	VII = 7	VIII = 8
IX = 9	X = 10	XI = 11	XX = 20	XXX = 30
XL = 40	L = 50	LX = 60	LXX = 70	LXXX = 80
XC = 90	C = 100	CL = 150	CC = 200	CCC = 300
CD = 400	D = 500	DC = 600	DCC = 700	DCCC = 800
CM = 900	M = 1000	MC = 1100	MD = 1500	MM = 2000




CCXLVIII = 248 DCCLXXXIV = 784 MMXIX = 2019

Rounding


Rounding to the nearest 10



Rounding to the nearest 1000



Rounding to the nearest 100 000



Addition and Subtraction

Addition and Subt	raction	Knowledge Organiser			
Key Vocabulary	Addition	Subtrac	tion		
Add	Place Value Grid: 3274 + 5601 = 8875	Place V	alue Grid: 35 727 – 6313 = 29	414	
Total					
Make		TTh	10 000 10 000	2 ten thousands left	
Plus	1000 1000 1000			5 thousands – 6	
Sum				thousands cannot	
More		Th	(m) (m) (m) (m)	be done. Exchange ten thousand for ten	
Altogether	H 100 100 100 100		1000 1000 1000	thousands becoming 15	
Difference				thousands – 6 thousands = 9 thousands	
Subtract				- 7 thousands	
Less		н		7 hundreds – 3 hundreds	
Minus			100 00	= 4 hundreds	
Take away					
Column addition		T		2 tens – 1 ten = 1 ten	
Column subtraction	Column Method				
Estimate	Starting with the ones, add each column in turn. Regroup tens, hundreds, thousands,	o		7 ones – 3 ones = 4 ones	
Inverse operation	ten thousands and/or as required.				
Number facts		Column	ı Method		
Place value	45864		g with the ones, subtract each	35 74 2	
Complex	+23497		in turn. Exchange tens, hundn		
twinkl vist winkl.com	<u>69361</u> 111		nds and/or ten thousands as re		

Estimate and Approximate

Rounding to Estimate

Round to ten-

Rounding is not as accurate when both numbers are rounded up. A better estimate comes from "rounding" one down and one up.

Estimating on a Number Line



The arrow is about $\frac{3}{4}$ of the way across the line so it is 40 000



Inverse Operations

32 732

Use the inverse to check-

53 476

20 744

To check 53 476 - 32 732 = 20 744 use 32 732 + 20 744 = 53 476

Start with a number, subtract 409 and double. I end with 6264. To find the starting number use the inverse: halve, then add 409. Half of 6264 = 3132. 3132 + 409 = 3541. The starting number was 3541.

Multistep Problems

Using a Bar Model

The sum of two numbers is 25 567.

The difference is 1875.



Subtract 1875 from 25 567 = 23 692.

Halve 23 692 to find smaller number = 11 846.

Add 1875 to find larger number = 13 721.

	£20		£
£3.75	£8.49	?	£
£	12.24	£7.76	Ļ

£20 is used to buy 2 books costing £3.75 and £8.49.


How much change is given?

£20.00 - £12.24 = £7.76



Written Methods and Visuals

A8a: Column Addition




Wildridings Primary School

365



A8b: Column Addition






Wildridings Primary School




A8c: Column Addition Step 3



Wildridings Primary School



A8d: Column Addition



Multiplication and Division

Multiplication and Division Knowledge Organiser					
Key Vocabulary	Factors	Prime Numbers			
multiply	A factor is a number that divides into another number exactly, without leaving a remainder.	1 2 3 4 5 6 7 8 9 10			
groups of	A common factor is a factor of 2	11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30			
lots of	or more numbers.	31 32 33 34 35 36 37 38 39 40			
times	1 2 4 5 10 20 2	41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60			
divide	The factors of 20 are 1, 2, 4, 5, 10 and 20.	61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80			
share	The factor pairs are: 1 and 20 2 and 10	71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90			
remainder	4 and 5 Factors of 15	91 92 93 94 95 96 97 98 99 100			
factor	Squared ² and Cubed ³ Numbers	Related Calculations			
multiple		8 × 9 = 72 9 × 8 = 72			
product		80 × 9 = 720 90 × 8 = 720			
	22 - 4 23 - 8 52 - 25 53 - 125	72 ÷ 9 = 8			
twinkl visit beind.com	2 × 2 - 4	720 ÷ 9 = 80			

Multiplication and Division

Knowledge Organiser

Short Multiplication

Long Multiplication

$$2543 \times 7 = 17801$$

	2	5	4	3
×				7
1	7	8	0	1
-	2	2	(2)	

Remember to move any regrouped digits into the next column. After the next multiplication, add the regrouped number to the answer.


$2543 \times 67 = 170381$

		2	5	4	3
	×			6	7
	1	7	8	0	1
	1	3	3	2	
1	5	2	5	8	0
1	7	0	3	8	1
	1	1			

Before multiplying by the number in the tens column, remember to use zero as a placeholder because the 6 in 67 is 6 tens (60).

Division

Short Division



		3	4	
4	1	3	6	
-	1	2	0	→ 30 × 4
		1	6	
	-	1	6	→ 4×4
			0	

		3	8
4	1	¹ 5	32

15 ÷ 4 = 3 remainder 3

Remember to regroup any remainders and move them into the next column.


		4	5	5	ŗ	3
5	2	2	² 7	² 8		


28 ÷ 5 = 5 remainder 3

If your calculation has a remainder, remember to record it in the answer using the letter r.



Written Methods and Visuals





Fractions


Fractions		Knowledge Organiser		
Key Vocabulary	Equivalent Fractions	Compare and Order Fractions		
numerator	To find equivalent fractions, we multiply or divide the numerator and denominator by the same number.	We can compare and order fractions by using common denominators.		
denominator	×5 ×10	×2		
unit fraction	$\frac{1}{2} = \frac{5}{10} = \frac{50}{100}$	$\frac{\frac{1}{3}, \frac{5}{6}, \frac{7}{12}}{\frac{4}{12}, \frac{10}{12}, \frac{7}{12}}$ $\frac{11}{8} > \frac{5}{4} = \frac{10}{8}$ ×2		
non-unit fraction	2 10 100 ×5 ×10	12, 12, 12 1, 7, 15 1, 7, 15 1, 7, 15 1, 17, 15		
whole				
equivalent	Mixed Numbers	Improper Fractions		
mixed number	Mixed numbers contain a whole number and a fraction. whole $2\frac{1}{4}$ fraction	An improper fraction has a numerator which is greater than or equal to the denominator.		
improper fraction	Convert an Improper Fraction to a Mixed Number	Convert a Mixed Number to an Improper Fraction		
simplest form	9 ÷ 4 = 2r1 2 1/4 This shows you	Multiply the whole by		
multiple	4 Divide the numerator by the denominator. This shows you the whole number and the fraction.	the denominator to make an improper fraction. $2\frac{5}{6} - \frac{12}{6} + \frac{5}{6} - \frac{17}{6}$ Add the fractions together.		
common denominator	Adding and Subtracting Fractions			
common numerator	To add or subtract fractions with denominators that have the same denominator.	are multiples of the same number, we must change one fraction to		
twinkl visit twinkl.com	Thave the same denominator. $\frac{\frac{4}{5} - \frac{3}{5} - \frac{1}{5}}{\frac{1}{3} + \frac{1}{3} - \frac{2}{3}}$ $\frac{\frac{1}{4} + \frac{3}{8} - \frac{2}{8} + \frac{3}{8} - \frac{5}{8}}{\frac{1}{4} + \frac{3}{8} - \frac{2}{8} + \frac{3}{8} - \frac{5}{8}}$			

Fractions

Knowledge Organiser

Add Fractions Where the Total is Greater Than 1

$$\frac{1}{2} + \frac{3}{4} + \frac{5}{8} - \frac{4}{8} + \frac{6}{8} + \frac{5}{8} - \frac{15}{8} - 1\frac{7}{8}$$



Subtract from a Mixed Number

$$1\frac{2}{3} - \frac{2}{9} - 1\frac{6}{9} - \frac{2}{9} - 1\frac{4}{9}$$

starting number	find the equivalent fraction	subtract

Add Mixed Numbers


$$1\frac{1}{4} + \frac{3}{8} = 1\frac{2}{8} + \frac{3}{8} = 1 + \frac{5}{8} = 1\frac{5}{8}$$


$$1\frac{1}{4} + \frac{3}{8} - \frac{5}{4} + \frac{3}{8} - \frac{10}{8} + \frac{3}{8} - \frac{13}{8} - 1\frac{5}{8}$$


Multiply Unit Fractions by an Integer












Multiply Mixed Numbers by Integers

Subtract from a Mixed Number - Breaking the Whole

 $2\frac{1}{4} - \frac{3}{8} - 2\frac{2}{8} - \frac{3}{8} - 1\frac{10}{8} - \frac{3}{8} - 1\frac{7}{8}$

Convert to an improper fraction and multiply the numerator by the integer.

$$2\frac{1}{4} \times 2$$
 - $\frac{9}{4} \times 2$ - $\frac{18}{4}$ - $4\frac{2}{4}$ - $4\frac{1}{2}$






Use repeated addition.

$$2\frac{1}{4} \times 2 - 2\frac{1}{4} + 2\frac{1}{4} - 4\frac{2}{4} - 4\frac{1}{2}$$

Decimals



Decimals

Knowledge Organiser

Multiplying and Dividing by 10, 100 and 1000

Tens	Ones	Tenths	Hundredths	Thousandths
3	.8			
+	3,	8		
3	8	10		

Tens	Ones	Tenths	Hundredths	Thousandths
3	8			
	÷ 100			
	0 🦯	3	8	
3	8	× 100		

Tens	Ones	Tenths	Hundredths	Thousandths
3	8			
	÷ 1	000	$\overline{}$	
	0_0	0	′3	8
_			× 1000	
3	8			

Adding and Subtracting Decimals

$$0.8 + 0.001 = 0.801$$

$$1.031 - 0.23 = 0.801$$

$$0.4005 + 0.4005 = 0.801$$



Rounding Decimals

1.7 1.8 1.2 1.3 1.5 1.6 1.4

If the tenths digit is 1, 2, 3 or 4, we round down to the nearest whole number.


If the tenths digit is 5, 6, 7, 8 or 9, we round up to the nearest whole number.


1.11 1.12 1.13 1.15 1.16 1.17 1.18 1.19 1.14


If the hundredths digit is 1, 2, 3 or 4, we round down to the nearest tenth.


If the hundredths digit is 5, 6, 7, 8 or 9, we round up to the nearest tenth.

Percentage and Decimal Equivalents










$$50\% = \frac{50}{100} = \frac{1}{2} = 0.5$$
 $25\% = \frac{25}{100} = \frac{1}{4} = 0.25$ $10\% = \frac{10}{100} = \frac{1}{10} = 0.1$

$$25\% = \frac{25}{100} = \frac{1}{4} = 0.25$$


$$10\% = \frac{10}{100} = \frac{1}{10} = 0.1$$


$$40\% = \frac{40}{100} = \frac{2}{5} = 0.4$$

Crossing the Whole









$$20\% = \frac{20}{100} = \frac{1}{5} = 0.2$$
 $1\% = \frac{1}{100} = 0.01$ $70\% = \frac{70}{100} = \frac{7}{10} = 0.7$

Converting Units

Converting Units Knowledge Organiser							
Key Vocabulary	Converti	ng Mass	Converting Capacity				
mass		1000g = 1kg		1000ml = 1 litre			
gram		$\frac{1}{10}$ kg = 0.1kg = 100g	шинин	$\frac{1}{10}$ l = 0.1l = 100ml			
kilogram	×1000	$\frac{1}{4}$ kg = 0.25kg = 250g	×1000	$\frac{1}{4}$ l = 0.25l = 250ml $\frac{1}{2}$ l = 0.5l = 500ml			
capacity	kg g	$\frac{1}{2}$ kg = 0.5kg = 500g	l ml	_			
volume	÷1000	$\frac{3}{4}$ kg = 0.75kg = 750g	÷1000	$\frac{1}{100}$ l = 0.01l = 10ml			
millilitre	Converting Length						
centilitre		×1000	×100	×10			
litre	/ k	m m	cm	mm			
millimetre		÷1000	÷100	÷10			
centimetre		1000 metres = 1 kilome	tre	5km = 250m			
kilometre		100cm = 1m	$\frac{1}{2}$ km = 0.5km = 500m				
twinkl visit twinkl.com		10mm = 1cm $\frac{1}{10}$ km = 0.1km = 100m	$\frac{3}{4}$ km = 0.75	5km = 750m			

Units of Time

Minute 1 minute - 60 seconds












Year




Leap Year




Decade



Century



Millennium





measurement and Volume

Volume	Knowledge Organiser
Key Vocabulary	Volume of Cubes and Cuboids
cubed	Volume is measured in cubed units. For example, cm³ , m³ and km³ .
area	To calculate the volume of cubes and cuboids:
cross-section	Calculate the area of the cross-section (one face). Multiply the area of the cross-section (one face) by its depth.
prism	2. Multiply the dred of the cross-section (one jace) by its depth.
cube	Area of cross section (face) = 2cm × 2cm = 4cm²
cuboid	4cm² × 2cm = Volume of 8cm³
face	
length	
height	Area of cross section (face) = 4cm × 2cm = 8cm²
width	8cm² × 3cm = Volume of 24cm³
depth	
twinkl visit twinkl.com	

Volume	Knowledge Organiser
Key Vocabulary	Volume of Cubes and Cuboids
cubed	Volume is measured in cubed units. For example, cm³ , m³ and km³ .
area	To calculate the volume of cubes and cuboids:
cross-section	1. Calculate the area of the cross-section (one face). 2. Multiply the cross-section (one face).
prism	2. Multiply the area of the cross-section (one face) by its depth.
cube	Area of cross section (face) = 2cm × 2cm = 4cm²
cuboid	4cm² × 2cm = Volume of 8cm³
face	
length	
height	Area of gross section (face) = /sem x 2cm = 8cm²
width	Area of cross section (face) = 4cm × 2cm = 8cm ² 8cm ² × 3cm = Volume of 24cm ³
depth	
twinkl visit twinkl.com	

Area and Perimeter

Perimeter and Area Knowledge Organis					
Key Vocabulary	Measure Perimeter	Calculate Perimeter			
metre	Measure the perimeter of a rectangle:	Calculate the missing sides of this rectilinear shape to find the perimeter:			
kilometre	w t	2cm			
perimeter	l Measure the length (l) and width (w). Perimeter = l + w + l + w or (l + w) × 2	8cm 7cm			
length	Measure the perimeter of regular shapes: Measure the length (l) and	missing side 1			
width	count the number of sides (s) on the shape.	missing side 2 * This shape is not drawn to the dimensions specified.			
rectangle	Measure the perimeter of irregular shapes:	Missing side 1 + 4cm = 8cm, so missing side 1 = 4cm.			
rectilinear		Missing side 2 = 2cm + 7cm = 9cm			
dimensions		Perimeter = sum of all sides = 2cm + 4cm + 7cm + 4cm + 9cm + 8cm = 34cm			
twinkl visit twinkl.com	Measure the length of each side and add them together.				


Length and Perimeter

Knowledge Organiser

Area of Rectangles


Area of Irregular Shapes

The area of a rectangle on a grid:



Multiply the length \times width $= 6 \times 3 = 18$ squares.


The area of a rectangle = length (l) \times width (w).





To find the area of a compound shape, divide the shape into rectangles with known dimensions:


Area of Compound Shapes



Area = $7cm \times 4cm + 5cm \times 5cm$ = $28cm^2 + 25cm^2$

= 53cm²

To find the area of an irregular shape, find the number of whole squares and part squares.



Whole squares = 10 Part squares = 22

> Estimate of area = whole squares + half part squares

> > $= 10cm^2 + 11cm^2 = 21cm^2$

*There are other ways to estimate the area of irregular shapes.

Statistics

Statistics Knowledge Organiser									
Key Vocabulary	Reading and Understanding Tables				Comp	leting Table	es		
axis	A table to show ticket prices at a			t a	Here is a table showing the favourite drink flavours of some children.				
continuous data	local cinema	ι.				Boys Girls Total			
horizontal						Drange	8	Ottis	18
data	Ticket Type	Weekday Price	Weeken	d		ckcurrant		6	10
interpret						Total	15		
label	Adult	£6	£7.50						
line graph	Child	£4	£4.50		-			for blackcurrant,	
maximum value	Student	£5.50	£6				ys who voted a	nd subtract the I	number of votes
minimum value	for orange. In order to understand the data								
pattern	presented in a table, you must read				To find how many girls voted for orange, look at the total number of				
predict	the table's	title and t	he hcadir	ıgs.	votes for orange and subtract the number of votes from boys.				from boys.
relationship	Remember t	_			To find the total number of votes for blackcurrant, the total number				
represent	heading that	each piece o	f informat	ion	of girls or the total number of voters, simply add up the values from the appropriate row or column.				
scale	falls under.								
survey									
table	Timetables								
tally	Here is a bus	timatahla:							
timetable	Tiere is a bus	timetuble.	Thr	ee dif	ferent bu	ses			
vertical							The bus s	tarts at this time o	and location
x-axis	್ಲ ಖ Mill Ro		0726			0842	The bus s	iarts at this time o	ina tocation.
y-axis	High St Pitsmoo		0729		803		The bus d	oes not stop here.	
	를 를 Pitsmoo		0759		833 919	0946	The bus t	erminates at this t	ime and location.
twinkl vist winkl.com	FIIIWOO	a	0845	0	919	0946			


Statistics Knowledge Organiser

Read and Interpret Line Graphs

Here is a line graph showing the average temperature for each month.

The y-axis shows temperature in intervals of 2°C on a scale of 0°C to 16°C.

The points show the average temperature for each month.



The x-axis shows the months of the year.

Use Line Graphs to Solve Problems

To find the average temperature in May, follow the arrow up from May and across to the temperature. As this is halfway between 10°C and 12°C, the average temperature in May is 11°C.


To find the difference between the average temperatures in August and in November, find the temperature for each month and calculate the difference between the two. The shape of the line graph can show how the temperature changed. he average temperature falls 9°C from August to November.

Draw Line Graphs

Here is a table showing the number of different types of fruit sold each day.

	Bananas	Apples
Mon	2	3
Tues	4	5
Wed	6	2
Thurs	5	4
Fri	8	1

This graph can be used to represent the data from the table.



Mark each point for the number of bananas sold each day and join each point with a line.

Mark each point for the number of apples sold each day and join each point with a line.



Properties of shape

Properties of Shape

Knowledge Organiser

Key Vocabulary

angle

right angle

acute

obtuse

reflex

protractor

horizontal

vertical

parallel

perpendicular

polygon

regular

irregular

two-dimensional

three-dimensional

flat face

curved surface

edge

curved edge

vertex

арех



Regular and Irregular Polygons

Regular	Irregular		


A polygon is any two-dimensional shape formed with straight lines.

In a regular polygon, all the sides and angles are equal.

In an irregular polygon, the sides and angles are not equal.


Representations

Cube models can be drawn as 2D representations using different elevations.



Side Elevation

Front Elevation A shape net is a 2D drawing of an unfolded 3D shape. When you are drawing or reasoning about shape nets, think carefully about where the edges of the faces meet.



Shape net of a tetrahedron

Properties of 3D Shapes

Name	Surf	aces	Ed	ges	Mantines.	D: .	
Name	Flat	Curved	Flat	Curved	Vertices	Picture	
sphere	0	1	0	0	0		
cube	6	0	12	0	8		
cuboid	6	0	12	0	8		
cone	1	1	0	1	0	7	
cylinder	2	1	0	2	0		
square-based pyramid	5	0	8	0	5		
tetrahedron	4	0	6	0	4		
triangular prism	5	0	9	0	6		
pentagonal prism	7	0	15	0	10		
hexagonal prism	8	0	18	0	12	0	
octagonal prism	10	0	24	0	16		
octahedron	8	0	12	0	6	\rightarrow	

A cone has an apex. This is because a vertex is the point where two straight edges meet and a cone has no straight edges.

Properties of Shape

Knowledge Organiser

Identifying Angles

Acute Angles

Any angle that measures less than 90° is called an acute angle.



Obtuse Angles

Any angle that measures greater than 90° and less than 180° is called an **obtuse** angle.




Any angle that measures greater than 180° is called a **reflex** angle.






Angles on a straight line always total 180°.



Measuring and Drawing Angles

To measure angles, we use a protractor. Look carefully at how the numbers on the scale count from 0° to 180° in both directions.



Multiples of 90° can be used as descriptions of a turn.



1/4 turn = 90°



 $\frac{1}{2}$ turn = 180°




 $\frac{3}{4}$ turn = 270°



1 turn = 360°

Using Properties of Rectangles





Position and Direction

twinkl visit twinkl.com

Knowledge Organiser Position and Direction Key Vocabulary y-axis. coordinate Coordinates are a useful way to locate a position on a map or grid. quadrant The numbers across the horizontal line of the grid are on the x-axis x-axis The numbers on the vertical line of the grid are on the y-axis. We always read or write the number on the x-axis y-axis before the y-axis. The x and y position are written in brackets with reflection a comma. x-axis. The coordinate of the orange spot is (3, 4). mirror line translation To help you remember which point to read or write first, simply horizontal remember to move 'along the corridor and up the stairs'. In other words, move on the x-axis and then move on the y-axis. vertical


Position and Direction

Knowledge Organiser

Reflection

A shape is reflected when is flipped over a mirror line.

The reflected image is congruent to the original. This means that the measurements of the sides and angles have not changed. Each point of the reflected shape is the same distance from the mirror line as the original shape.



Translation

In maths, translation means moving an object on a grid. The object is moved without changing the size, turning or reflecting it.

When translating an object on a grid, it can move up or down, left or right.

